



**ALS AIRBORNE DUST
ANALYSIS AND TESTING REPORT**

REPORT TO: Andrew Pasishnichenko
Earth Plant Hire

REPORT ON: Molong Quarry
Dust Results

REPORT NO: 24006243

PERIOD OF EXPOSURE: Typically 30 days +/- 2 days

SAMPLED BY: Client

REPORTED BY: J. Leard

REPORT DATE: 11-September-2017



Accreditation # 15784
Site # 11436

Accredited for compliance with ISO/IEC 17025.

This document will not be reproduced except in full.

ACIRL Pty Ltd
ABN 41 000 513 888
Part of the ALS Laboratory Group
Unit 3, 16 Donald Street
LITHGOW NSW 2790
Phone +61 2 6350 7400 Fax +61 2 6352 3583 www.alsglobal.com
A Campbell Brothers Limited Company

ALS AIRBORNE DUST
ANALYSIS AND TESTING REPORT



Molong Quarry

Month Sep-17
Date Replaced 3/08/2017
Date Collected 4/09/2017

DUST DEPOSITION RESULTS

<u>GAUGE NO.</u>	<u>INSOLUBLE SOLIDS</u>	<u>COMBUSTIBLE MATTER</u>	<u>ASH</u>
	mg	mg	mg
Quarry	50.7	34	16.7
Pankhurst	23.2	17.3	5.9
M'Smith	7.6	5.5	2.1
Faulkner	5.1	4.8	0.3

No. of days exposed: 32

ALS AIRBORNE DUST
ANALYSIS AND TESTING REPORT



Molong Quarry

Month Sep-17
Date Replaced 3/08/2017
Date Collected 4/09/2017

DUST DEPOSITION RESULTS

(g/m².month)

<u>GAUGE NO.</u>	<u>INSOLUBLE SOLIDS</u>	<u>COMBUSTIBLE MATTER</u>	<u>ASH</u>
Quarry	1.8	0.9	0.9
Pankhurst	0.9	0.6	0.3
M'Smith	0.3	0.2	0.1
Faulkner	0.3	0.3	<0.01

No. of days exposed: 32

Analysed in accordance with AS3580.10.1
NATA accreditation does not apply for results reported in g/m².mth as sampling data was provided by the client.

**ALS AIRBORNE DUST
ANALYSIS AND TESTING REPORT**

Molong Quarry



Report No. 24006243
Month Sep-17
Date Replaced 3/08/2017
Date Collected 4/09/2017

DEPOSIT GAUGE OBSERVATIONS

GAUGE	ANALYSIS OBSERVATIONS
Quarry	Clear, insects, organic matter, fine brown/green dust & coarse brown/black dust
Pankhurst	Slightly cloudy, insects, organic matter, fine brown/green dust & coarse brown/black/green dust
M'Smith	Clear, insects, fine brown dust & coarse brown/black dust
Faulkner	Clear, insects, organic matter, fine brown dust & coarse brown dust

ALS AIRBORNE DUST ANALYSIS AND TESTING REPORT

METHODS OF ANALYSIS

Tests for results issued in this report have been carried out at the following NATA accredited laboratories in accordance with the methods as detailed below:-

TEST	METHOD	LABORATORY
		ACIRL Lithgow NATA Accreditation #11436
Dust Deposited matter gravimetric method	3580.10.1	X

ACIRL Report No:

24006243

In accordance with "Methods for sampling and analysis of ambient air.
Method 10.1: Determination of particulate matter- Deposited matter-Gravimetric method"
Standards Australia, 2003